

# **FP200**



## Flat suction cup

 Suitable for handling large, heavy objects with flat surface.

## Lifting forces & Technical data

| Lifting force vertical to the surface, N, at vacuum level |         |         | Lifting force parallel to the surface, N, at vacuum level |         |         | Volume          | Min. curve<br>radius | Max.<br>vertical<br>movement | Weight<br>with<br>fitting |
|-----------------------------------------------------------|---------|---------|-----------------------------------------------------------|---------|---------|-----------------|----------------------|------------------------------|---------------------------|
| 20 -kPa                                                   | 60 -kPa | 90 -kPa | 20 -kPa                                                   | 60 -kPa | 90 -kPa | cm <sup>3</sup> | mm                   | mm                           | g                         |
| 750                                                       | 1900    | 2700    | _                                                         | _       | —       | 540             | -                    | 7.0                          | 1160                      |

#### **Material specifications**

| Material          | Colour                   | Hardness<br>°Shore A | Temperature range<br>°C |  |
|-------------------|--------------------------|----------------------|-------------------------|--|
| Polyurethane, PUR | Yellow-white transparent | 65                   | 0–80                    |  |

## Material resistance

| Wear resistance | Oil       | Weather & Ozone | Hydrolysis | Petrol | Concentrated acids | Alcohol | Oxidation |
|-----------------|-----------|-----------------|------------|--------|--------------------|---------|-----------|
| Excellent       | Excellent | Excellent       | Poor       | Fair   | Poor               | Fair    | Good      |



### **Ordering information**

