


# Suction cup F75 Nitrile-PVC, G1/2" female, with cone valve

, 0101879

- Suitable for flat objects.
- Good stability and little inherent movement.
- Recommended when the lifting force is parallel to the surface of the object.
- Cleats prevent thin, sensitive objects from being deformed and gives extra friction when the lifting force is parallel.



## Общее

Curve radius	150 mm
Movement, vertical max.	3 mm
Применение	Присоски для транспортировки металлических листов с сухой поверхностью
Материал	Нитрил-ПВХ (NPU)
Модель присоски	F
Форма	Присоски для плоских поверхностей
Объем	20 см <sup>3</sup>
Weight	23 g

## Фитинга

Размер креплений	1/2"
Конструкция фитинга	Внутренняя резьба
Конструкция фитинга	G-резьба
Варианты фитингов	Коническая задвижка

## Измерение

Внешний диаметр, с сервоприводом	79 mm
----------------------------------	-------

## Производительность — подъемная сила

		
20 -kPa	80 N	60 N
60 -kPa	200 N	110 N
90 -kPa	270 N	140 N


## Материал

	Нитрил-ПВХ (NPRV)
Цвет	Черный
Жесткость	50 °Shore A
Temperature	0 – 90 °C

## Сопротивление материала

	Нитрил-ПВХ (NPRV)
Алкоголь	++
Концентрированные кислоты	+
Этанол	N/A
Гидролиз	++
Метанол	N/A
Масло	+++
Окисление	++
Бензин	+++
Износостойкость	+++
Атмосферные условия и озон	++

## Масштабные чертежи



## Values specified in the data sheet are tested at:

Room temperature	(20°C [68°F] ± 3°C [5.5°F])
Standard atmosphere	(101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])
Relative humidity	0-100%
Compressed air quality	DIN ISO 8573-1 class 4

## Запчасти

	Номер изделия
Suction cup F75 Nitrile-PVC	3150131P
Fitting 75, G1/2" female, with cone valve	0100556

## Аксессуары

	Номер изделия
Suction cup F75 Silicone	3150131S
Suction cup F75 HNBR	3150131T
Fitting G1/2" female Al, with mesh filter	0127820
Fitting 75, G3/8" female, with mesh filter	0100551
Fitting 75, G3/8" female, with cone valve	0100552
Fitting 75, G1/2" female, with mesh filter	0100555
Fitting 75, 3/8" NPSF female, with mesh filter	0100553
Fitting 75, 1/8" NPSF female, with mesh filter	0100548
Fitting 1/8" NPSF female Al, with mesh filter	0127819
Fitting 1/4" NPT female Al, with mesh filter & 10-32 addl. conn.	0127821