


# Suction cup F110 HNBR, G3/8" female, with mesh filter, 0108188

- Suitable for flat objects.
- Good stability and little inherent movement.
- Recommended when the lifting force is parallel to the surface of the object.
- Cleats prevent thin, sensitive objects from being deformed and gives extra friction when the lifting force is parallel.



## Общее

Curve radius	250 mm
Movement, vertical max.	4 mm
Применение	Транспортировка стекла, Присоски для низких/высоких температур (пластик), Присоски не оставляющие следов, Транспортировка грузов при литье пластмасс под давлением, Присоски для транспортировки металлических листов с сухой поверхностью
Материал	HNBR
Модель присоски	F
Форма	Присоски для плоских поверхностей
Объем	70 см <sup>3</sup>
Weight	66 g

## Фитинга

Размер креплений	3/8"
Конструкция фитинга	Внутренняя резьба
Конструкция фитинга	G-резьба
Варианты фитингов	Сетка фильтра

## Измерение

Высота	36,2 mm
Внешний диаметр	112 mm
Внешний диаметр, с сервоприводом	115,3 mm

## Производительность — подъемная сила

		
20 -kPa	140 N	140 N
60 -kPa	420 N	250 N
90 -kPa	560 N	300 N


## Материал

	HNBR 75° Shore A
Цвет	Blue/grey
Жесткость	75° Shore A
Temperature	-30 – 140 °C

## Сопротивление материала

	HNBR 75° Shore A
Алкоголь	++
Концентрированные кислоты	+
Этанол	N/A
Гидролиз	++
Метанол	N/A
Масло	+++
Окисление	+++
Бензин	+++
Износостойкость	+++
Атмосферные условия и озон	+++

## Масштабные чертежи



## Values specified in the data sheet are tested at:

Room temperature	(20°C [68°F] ± 3°C [5.5°F])
Standard atmosphere	(101.3 [29.9 inHg] ± 1.0 kPa [0.3 inHg])
Relative humidity	0-100%
Compressed air quality	DIN ISO 8573-1 class 4

## Запчасти

	Номер изделия
Suction cup F110 HNBR	3150132T
Fitting 110 G3/8" female, with mesh filter	0100557

## Аксессуары

	Номер изделия
Suction cup F110 Nitrile-PVC with washer	3150038P
Suction cup F110 Silicone with washer	3150038S
Suction cup F110 HNBR with washer	3150038T
Suction cup F110 Nitrile-PVC	3150132P
Suction cup F110 Silicone	3150132S
Fitting 110, 3/8" NPSF female, with mesh filter	0100559
Fitting 110, G1/2" female, with mesh filter	0100561
Fitting 110, G1/2" female, with cone valve	0100563
Fitting G1/2" female AL, with mesh filter	3250007