


Suction cup F50MF Thermoelastic polyurethane, G3/8" male, with mesh filter, 0101788



- Suction cup of TPU, a mark free material that leaves no trace on the object being handled.
- Suitable for flat surfaces.
- Good stability and little inherent movement.
- Recommended when the lifting force is parallel to the surface of the object.

Общее

Curve radius	95 mm
Movement, vertical max.	2,2 mm
Применение	Присоски не оставляющие следов
Материал	Термопластичный полиуретан (TPE-U)
Модель присоски	F-MF
Форма	Присоски для плоских поверхностей
Объем	10 см ³
Weight	10 g

Фитинга

Размер креплений	3/8"
Конструкция фитинга	Наружная резьба
Конструкция фитинга	G-резьба
Варианты фитингов	Сетка фильтра

Измерение

Высота	33,5 mm
Внешний диаметр	53 mm
Внешний диаметр, с сервоприводом	54,6 mm

Производительность — подъемная сила

		
20 -kPa	24,5 N	31 N
60 -kPa	92 N	82 N
90 -kPa	141 N	107 N


Материал

	Термопластичный полиуретан (TPE-U)
Цвет	Белый прозрачный
Жесткость	81 °Shore A
Temperature	-20 – 80 °C

Сопротивление материала

	Термопластичный полиуретан (TPE-U)
Алкоголь	++
Концентрированные кислоты	-
Этанол	N/A
Гидролиз	-
Метанол	N/A
Масло	+++
Окисление	++
Бензин	-
Износостойкость	+++
Атмосферные условия и озон	+++

Масштабные чертежи



Запчасти

	Номер изделия
Suction cup F50MF Thermoelastic polyurethane	0101143
Fitting G3/8" male, 50, with mesh filter	3250087

Аксессуары

	Номер изделия
Fitting G3/8" male, 50, with mesh filter and dual flow control valve	3251015
Fitting G1/4" male, with mesh filter and dual flow control valve	3251013
Fitting G1/4" male, 50, with mesh filter	3250092
Fitting 5x1/8" NPSF female, 50, with dual flow control valve	3251017
Fitting 5x1/8" NPSF female, 50	0100262
Fitting 3/8" NPT male, with mesh filter	3250090
Fitting 3/8" NPT male, with dual flow control valve	3251016
Fitting 1/8" NPSF female, 50, with mesh filter	0101154
Fitting 1/8" NPSF female, 50, with dual flow control valve	3251012
Fitting 1/8" NPSF female, 50, PA	3150198
Fitting 1/8" NPSF female, 50	3250017
Fitting 1/4" NPT male, with mesh filter	3250094
Fitting 1/4" NPT male, with dual flow control valve	3251014